	Type	Hits	Search Text	DBs
1	BRS	2	instruction adj guard	USPAT
2	BRS	229	712/226.ccls.	USPAT
3	BRS	16	predicate adj file	USPAT
4	BRS	7221	emulation	USPAT
5	BRS	84	emulation adj unit	USPAT
6	BRS	О	<pre>(predicate adj file) and (emulation adj unit)</pre>	USPAT
7	BRS	352	712/227.ccls.	USPAT
8	BRS	9	debug\$3 same predicat\$3	USPAT
9	BRS	6	712/227.ccls.and predicat\$3	USPAT
10	BRS	121	712/227.ccls.and debug\$3	USPAT
11	BRS	19	712/227.ccls.and debug\$3 and (single adj step)	USPAT
12	BRS	503	debug\$3 and (single adj step\$3)	USPAT
13	BRS	22	(debug\$3 and (single adj step\$3)) and predicat\$3	USPAT
14	BRS	13364	<pre>(debug\$3 and (single adj step\$3)) same] predicat\$3</pre>	USPAT
15	BRS	0	(debug\$3 and (single adi sten\$3))	USPAT
16	BRS	221	mear) (gingle adi gtens?)	USPAT
17	BRS	77	(terminat\$3 or end\$3 or stop\$3) adj (single adj step\$3)	USPAT
18	BRS	45	(terminat\$3 or end\$3) adi (single	USPAT
19	BRS	1	(terminat\$3 or end\$3) adj (single adj step\$3) and debug\$3	USPAT
20	BRS	3	(disabl\$3) adi (single adi sten\$3)	USPAT
21	BRS	1	"5659679".pn.	USPAT
22	BRS	12	"5659679".URPN.	USPAT
23	BRS	0	elminiate adj unnecessary adj debug\$4	USPAT
24	BRS	О	eliminiate adj unnecessary adj debug\$4	USPAT
25	BRS	0	eliminate adj unnecessary adj debug\$4	USPAT
26	BRS	6		USPAT
27	BRS	20	712/227.ccls.and_debug\$3_and	USPAT
28	BRS	32		USPAT
29	BRS	1		USPAT
30	BRS	0	(skip near2 instruction) same	USPAT

31	BRS	2	(skip with instruction) same debug\$4	USPAT
----	-----	---	---------------------------------------	-------

	Туре	Hits	Search Text	DBs
32	BRS	51	(analyz\$3 with instruction) same debug\$4	USPAT
33	BRS	0	only adj debug\$4 near2 commit\$4	USPAT
34	BRS	2	debug\$4 near2 commit\$4	USPAT
35	BRS	1	"5659679".pn.	USPAT
36	BRS	17	<pre>suspend adj (debug\$3 or (singlea dj step\$3))</pre>	USPAT
37	BRS	3	<pre>suspend adj (debug\$3 or (single adj step\$3))</pre>	USPAT
38	BRS	7849	intel.as.	USPAT
39	BRS	13	<pre>intel.as. and debug\$4 and (single adj step)</pre>	USPAT
40	BRS	1	"5923871".pn.	USPAT
41	BRS	О	debug near2 (enable or disable) near2 commit\$4	USPAT
42	BRS	О	<pre>debug near2 (enabl\$3 or disabl\$3) near2 commit\$4</pre>	USPAT
43	BRS	0	<pre>debug near2 (enabl\$3 or disabl\$3) with commit\$4</pre>	USPAT
44	BRS	o	debug near2 (enabl\$3 or disabl\$3 or start or stop\$4 or terminat\$3 or suspend\$3 or resum\$3 or halt\$3) with commit\$4	USPAT
45	BRS	0	debug with (enabl\$3 or disabl\$3 or start or stop\$4 or terminat\$3 or suspend\$3 or resum\$3 or halt\$3) with commit\$4	USPAT
46	BRS	0	(debug or (single adj step)) with (enabl\$3 or disabl\$3 or start or stop\$4 or terminat\$3 or suspend\$3 or resum\$3 or halt\$3) with commit\$4	USPAT
47	BRS	1	"5621886".pn.	USPAT
48	BRS	93	<pre>predicat\$4 adj (file or register or flag)</pre>	USPAT
49	BRS	25	predicat\$4 adj (file)	USPAT
50	BRS	2	(predicat\$4 adj (file)) and microcod\$3	USPAT
51	BRS	4	((predicat\$4 or guarg\$3) adj (file or register)) and microcod\$3	USPAT
52	BRS	4	((predicat\$4 or guard\$3) adj (file or register)) and microcod\$3	USPAT
53	BRS	36	Host adj debug\$3	USPAT
54	BRS	34	microcod\$3 near2 debug\$4	USPAT
55	BRS	5		IBM_TDB
56	BRS	25	microinstruction near2 generator	USPAT

57	BRS	IX .	micro adj (code or instru near2 advantage\$3	ction)) USPAT
----	-----	------	---	------------------

	Туре	Hits	Search Text	DBs
58	BRS	7	<pre>(micro adj (code or instruction)) near2 flexibility</pre>	USPAT
59	BRS	1	"5748936".pn.	US-PGPUB; USPAT
60	BRS	1	"5621886".pn.	US-PGPUB; USPAT
61	BRS	1	"5828824".pn.	US-PGPUB; USPAT
62	BRS	19	"810519"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
63	BRS	229	712/226.ccls.	USPAT